

COLMICIT	NEFUNI				
O TIME	AREA	HEIGHT	MK IDNO	CONO	NAME
2.162	11994	1299		1.7548	
2.311	12797	767	V	1.8724	
3.362	61832	4088	V	9.0466	
3.636	33442	2503	V	4.8929	
3.919	55292	3115	V	8.0898	
4.391	29323	1391	V	4.2902	
4.787	11002	666	V	1.6098	
5.144	9528	599	V	1.394	
6.705	1186	74		0.1736	
7.742	8433	436		1.2338	
8.781	373966	20057		54.7152	
9.667	26034	1090	٧	3.8091	
10.904	5042	174	V	0.7377	
11.793	10121	309	V	1.4809	
21.718	33486	555		4.8993	
TOTAL	683476	37124		100	
	O TIME 2.162 2.311 3.362 3.636 3.919 4.391 4.787 5.144 6.705 7.742 8.781 9.667 10.904 11.793 21.718	2.162 11994 2.311 12797 3.362 61832 3.636 33442 3.919 55292 4.391 29323 4.787 11002 5.144 9528 6.705 1186 7.742 8433 8.781 373966 9.667 26034 10.904 5042 11.793 10121 21.718 33486	IO TIME AREA HEIGHT 2.162 11994 1299 2.311 12797 767 3.362 61832 4088 3.636 33442 2503 3.919 55292 3115 4.391 29323 1391 4.787 11002 666 5.144 9528 599 6.705 1186 74 7.742 8433 436 8.781 373966 20057 9.667 26034 1090 10.904 5042 174 11.793 10121 309 21.718 33486 555	O TIME	IO TIME AREA HEIGHT MK IDNO CONO 2.162 11994 1299 1.7548 2.311 12797 767 V 1.8724 3.362 61832 4088 V 9.0466 3.636 33442 2503 V 4.8929 3.919 55292 3115 V 8.0898 4.391 29323 1391 V 4.2902 4.787 11002 666 V 1.6098 5.144 9528 599 V 1.394 6.705 1186 74 0.1736 7.742 8433 436 1.2338 8.781 373966 20057 54.7152 9.667 26034 1090 V 3.8091 10.904 5042 174 V 0.7377 11.793 10121 309 V 1.4809 21.718 33486 555 4.8993

FIG. 9



USSN 10/642,364 Reply to Office Action Dated Nov. 12, 2003 Replacement Sheet

SESAME CAKE EXTRACT (PURIFIED) - HPLC PROFILE

10.230g Cake → 0.5g extract in 100 ml MeOH

C-R7A CHROMATOPAC CH=1 REPORT No.=4 DATA=2:MABEL.C32 00.08 08 12:57:14




FIG. 10